Pend Oreille County

Youth & Tobacco Data Summary 12th Grade

Year 2000

Data not calculated because county did not meet minimum participation requirements for 12th Grade.

100.0 % 100.				County %	State %
Female	12th Grade S	tudents Surveyed	n=	100.0 %	100.0 %
Female	Gender				
Male				%	49.5 %
Students of Color %					
Students of Color %	Race/Ethnicit	vy			
County %+/- Margin of Error State %+/- Margin of Error Margin of Error				%	21.7 %
County %+/- Margin of Error State %+/- Margin of Error Margin of Error Margin of Error	White			%	78.3 %
Nargin of Error Past 30 days, youth who have smoked cigarettes at least once Female n				County %+/-	
Past 30 days, youth who have smoked cigarettes at least once Female n				-	
Past 30 days, youth who have smoked cigarettes at least once Female n= %+/- 29.3 %+/- 3.2 Male 1.2 Male n= 20.1 %+/- 2.6 1 %+/- 2.6 1 %+/- 2.0 Male 1.2 Male 1.2 Male 1.2 Male 1.2 Male 1.7 Male 1.7 Male 1.7 Male 1.9 Male 1.1 Male 1.4 Male 1.5 Male 1.5 Male 1.5 Male 1.5 Male 1.7 Male 1.5 Male 1.7 Male 1.5 Male 1.5 Male 1.6 Male 1.7 Male 1.6 Male 1.6 Male 1.6 Male 1.6 Male 1.6 Male 1.6 Male 1.0 Male 1.6 Male 1.6 Male 1.6 Male 1.6 Male 1.6 Male <td< td=""><td></td><td></td><td></td><td>_</td><td>_</td></td<>				_	_
Female			cigarettes		
Male n= %+/- 26.1 %+/- 2.6 Total n= %+/- 27.6 %+/- 2.0 Past 30 days, youth who have smoked cigars at least once Female n= %+/- 19.4 %+/- 2.3 Total n= %+/- 19.4 %+/- 1.4 Past 30 days, youth who have smoked tobacco in a pipe at least once ** ** 0.9 %+/- 0.5 Male n= %+/- 2.4 %+/- 0.9 ** 0.5 Male n= %+/- 1.7 %+/- 0.5 ** 1.7 %+/- 0.5 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once ** ** 5.6 %+/- 1.0 Male n= %+/- 16.3 %+/- 2.3 Total				0/2+1-	20 3 %+/- 3 2
Total n					
Past 30 days, youth who have smoked cigars at least once Female n=					
Female	iotai	11-		70 - 7 -	21.0 /01/- 2.0
Male n= notal %+/- 13.1 %+/- 1.4 Past 30 days, youth who have smoked tobacco in a pipe at least once 8/+/- 13.1 %+/- 1.4 Female n=	-	youth who have smoked	cigars at least once		
Total n	Female	n=			
Past 30 days, youth who have smoked tobacco in a pipe at least once Female n= %+/- 0.9 %+/- 0.5 Male n= %+/- 1.7 %+/- 0.9 Total n= %+/- 2.4 %+/- 0.9 Total n= %+/- 1.7 %+/- 0.9 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once *** *** *** 1.6 %+/- 1.6 %+/- 1.6 %+/- 1.6 %+/- 1.6 %+/- 1.6 %+/- 1.6 %+/- 1.6 %+/- 1.6 %+/- 1.6 %+/- 1.6 %+/- 1.0 %+/-	Male	n=			
Ast least once Female n	Total	n=		%+/-	13.1 %+/- 1.4
Female	-	-	tobacco in a pipe		
Male n= %+/- 2.4 %+/- 0.9 Total n= %+/- 1.7 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= %+/- 5.6 %+/- 1.6 Male n= %+/- 7.2 %+/- 1.3 Total n= %+/- 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= %+/- 1.3 %+/- 1.0 Male n= %+/- 16.3 %+/- 2.3 Total n= %+/- 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= %+/- 31.8 %+/- 3.2 Male n= %+/- 39.3 %+/- 2.9 Male n= %+/- 39.3 %+/- 2.9 Total n= %+/- 35.6 %+/- 2.1		1			
Total n= %+/- 1.7 %+/- 0.5 Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n= %+/- 5.6 %+/- 1.6 Male n= %+/- 7.2 %+/- 1.3 Total n= %+/- 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= %+/- 1.3 %+/- 1.0 Male n= %+/- 16.3 %+/- 2.3 Total n= %+/- 31.8 %+/- 3.2 Male n= %+/- 39.3 %+/- 2.9 Total n= %+/- 39.3 %+/- 2.9 Total n= %+/- 35.6 %+/- 2.1	Female	n=			
Past 30 days, youth who have smoked bidis (flavored cigarettes) at least once Female n=	Male	n=		%+/-	
at least once Female n= %+/- 5.6 %+/- 1.6 Male n= %+/- 7.2 %+/- 1.3 Total n= %+/- 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= %+/- 1.3 %+/- 1.0 Male n= %+/- 16.3 %+/- 2.3 Total n= %+/- 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= %+/- 31.8 %+/- 3.2 Male n= %+/- 39.3 %+/- 2.9 Total n= %+/- 35.6 %+/- 2.1	Total	n=		%+/-	1.7 %+/- 0.5
Female n= %+/- 5.6 %+/- 1.6 Male n= %+/- 7.2 %+/- 1.3 Total n= %+/- 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= %+/- 1.3 %+/- 1.0 Male n= %+/- 16.3 %+/- 2.3 Total n= %+/- 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= %+/- 31.8 %+/- 3.2 Male n= %+/- 39.3 %+/- 2.9 Total n= %+/- 35.6 %+/- 2.1			bidis (flavored cigarettes)		
Male n= %+/- 7.2 %+/- 1.3 Total n= %+/- 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= %+/- 1.3 %+/- 1.0 Male n= %+/- 16.3 %+/- 2.3 Total n= %+/- 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once \$\frac{1}{2}\$	at least once	1			
Total n= %+/- 6.5 %+/- 1.0 Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= %+/- 1.3 %+/- 1.0 Male n= %+/- 16.3 %+/- 2.3 Total n= %+/- 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= %+/- 31.8 %+/- 3.2 Male n= %+/- 39.3 %+/- 2.9 Total n= %+/- 35.6 %+/- 2.1	Female	n=			
Past 30 days, youth who have used smokeless tobacco (chewing tobacco, snuff or dip) at least once Female n= %+/- 1.3 %+/- 1.0 Male n= %+/- 16.3 %+/- 2.3 Total n= %+/- 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= %+/- 31.8 %+/- 3.2 Male n= %+/- 39.3 %+/- 2.9 Total n= %+/- 35.6 %+/- 2.1	Male	n=			
(chewing tobacco, snuff or dip) at least once Female n= %+/- 1.3 %+/- 1.0 Male n= %+/- 16.3 %+/- 2.3 Total n= %+/- 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= %+/- 31.8 %+/- 3.2 Male n= %+/- 39.3 %+/- 2.9 Total n= %+/- 35.6 %+/- 2.1	Total	n=		%+/-	6.5 %+/- 1.0
Female n= %+/- 1.3 %+/- 1.0 Male n= %+/- 16.3 %+/- 2.3 Total n= %+/- 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= %+/- 31.8 %+/- 3.2 Male n= %+/- 39.3 %+/- 2.9 Total n= %+/- 35.6 %+/- 2.1	Past 30 days	youth who have used sm	okeless tobacco		
Male n= %+/- 16.3 %+/- 2.3 Total n= %+/- 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= %+/- 31.8 %+/- 3.2 Male n= %+/- 39.3 %+/- 2.9 Total n= %+/- 35.6 %+/- 2.1	(chewing to	bacco, snuff or dip) at leas	st once		
Total n= %+/- 8.8 %+/- 1.3 Past 30 days, youth who have used any tobacco product at least once Female n= %+/- 31.8 %+/- 3.2 Male n= %+/- 39.3 %+/- 2.9 Total n= %+/- 35.6 %+/- 2.1	Female	n=		%+/-	1.3 %+/- 1.0
Past 30 days, youth who have used any tobacco product at least once Female n= %+/- 31.8 %+/- 3.2 Male n= %+/- 39.3 %+/- 2.9 Total n= %+/- 35.6 %+/- 2.1	Male	n=		%+/-	16.3 %+/- 2.3
at least once Female n= %+/- 31.8 %+/- 3.2 Male n= %+/- 39.3 %+/- 2.9 Total n= %+/- 35.6 %+/- 2.1	Total	n=		%+/-	8.8 %+/- 1.3
Female n= %+/- 31.8 %+/- 3.2 Male n= %+/- 39.3 %+/- 2.9 Total n= %+/- 35.6 %+/- 2.1	•	-	y tobacco product		
Male n= %+/- 39.3 %+/- 2.9 Total n= %+/- 35.6 %+/- 2.1				0/ . /	04.0.0/ . / . 0.0
Total n= %+/- 35.6 %+/- 2.1					

Source: Washington State Department of Health

Tobacco Prevention and Control

Assessment and Evaluation

n = number of survey respondents for county.

* = Rate not calculated because number of respondents was less than 15.

Pend Oreille County

Youth & Tobacco Data Summary 12th Grade Year 2000

Data not calculated because county did not meet minimum participation requirements for 12th Grade.

	County %+/- Margin of Error	State %+/- Margin of Error
About how many cigarettes have you smoked in your entire life? None 1/2 pack or less 1 - 4 packs 5 or more packs	n= %+/- %+/- %+/- %+/-	40.5 %+/- 2.1 23.9 %+/- 1.8 11.6 %+/- 1.4 24.0 %+/- 1.9
Do you want to stop using tobacco right now? (among current tobacco users) Yes	n= %+/-	63.6 %+/- 4.2
Have you ever participated in a program to help you quit using tobacco? (among current tobacco users) Yes	n= %+/-	4.2 %+/- 1.6
During past 12 months, did you ever try to quit using tobacco? (cigarettes, cigars, or chew/dip)(among current tobacco users) Yes	n= %+/-	63.9 %+/- 4.8
Do you think you will smoke a cigarette at any time during the next year? Definitely no	n= %+/-	51.8 %+/- 2.2
If one of your best friends offered you a cigarette, would you smoke it? Definitely no	n= %+/-	56.7 %+/- 2.2
Susceptibility Index (combination of the previous two questions, either of which receives any answer other than 'Definitely no') Susceptible	n= %+/-	50.1 %+/- 2.2
If one of your best friends offered you a cigarette, would you smoke it? (from among youth who did not smoke in last 30 days) Definitely no	n= %+/-	76.9 %+/- 2.0
Do you think the smoke from other people's cigarettes (second-hand smoke) is harmful to you? Definitely yes or Probably yes	n= %+/-	92.9 %+/- 1.4
Do you think it is safe to smoke for only a year or two, as long as you quit after that? Definitely no	n= %+/-	64.3 %+/- 2.1

Source: Washington State Department of Health Tobacco Prevention and Control Assessment and Evaluation

n = number of survey respondents for county.

* = Rate not calculated because number of respondents was less than 15.

Pend Oreille County

Youth & Tobacco Data Summary 12th Grade Year 2000

Data not calculated because county did not meet minimum participation requirements for 12th Grade.

	County %+/- Margin of Error	State %+/- Margin of Error
Would you ever use or wear something that has a tobacco company name or picture on it such as a lighter, t-shirt, hat, or sunglasses? Definitely no	n= %+/-	40.4 %+/- 2.1
During last 12 months, did you buy or receive anything that has a tobacco name or picture on it? Yes	n= %+/-	20.0 %+/- 1.7
During past 7 days, on how many days were you in the same room with someone who was smoking cigarettes? 3 or more days	n= %+/-	34.5 %+/- 3.3
During past 7 days, on how many days did you ride in a car with someone who was smoking cigarettes? 3 or more days	n= %+/-	25.2 %+/- 3.1
During this school year, did you practice ways to say 'NO' to tobacco in any of your classes (for example, by role playing)? Yes	n= %+/-	14.8 %+/- 1.5
During past 30 days, have you seen or heard commercials on TV, the Internet, or on the radio about the dangers of cigarette smoking? More than once a week	n= %+/-	73.2 %+/- 2.0
How wrong would most adults in your neighborhood think it was for kids your age to smoke cigarettes? Very wrong	n= %+/-	25.9 %+/- 2.0
If you wanted to get some tobacco, how easy would it be for you to get some? Very hard or Sort of hard	n= %+/-	9.6 %+/- 1.3
Has either of your parents (or guardians) discussed the dangers of tobacco use with you? Yes	n= %+/-	63.8 %+/- 2.1
Does anyone who lives with you now smoke cigarettes? Yes	n= %+/-	36.4 %+/- 3.4